

TEST REPORT: 719191301-CHM10-LYP

Date: 04 JAN 2011

Tel: +65 68851346 Fax: +65 67732912

Client's Ref: -

Email: Yin-Pheng.LEONG@tuv-sud-psb.sg

Note: This report is issued subject to TÜV SÜD PSB's "Terms and Conditions Governing Technical Services". The terms and conditions governing the issue of this report are set out as attached within this report.



PSB Singapore

Choose certainty.
Add value.

SUBJECT

Antimicrobial Activity of Coatings

CLIENT

Calfarme (Singapore) Pte Ltd
20 Ang Mo Kio Industrial Park 2A
#06-18
Singapore 567761

Attn : Mr. Ooi Delvin

SAMPLE SUBMISSION DATE / TEST DATE

07 Dec 2010 / 23 Dec 2010

DESCRIPTION OF SAMPLE

One sample of coated Polycarbonate (PC) panels as following:

1.	24 pieces coated PC panels labelled as "FOAMCARE NON-RINSE INSTANT HAND SANITIZER/ TOILET SEAT SANITIZER" (Dimension: 50mm x 50mm)
----	--

METHOD OF TEST

JIS Z 2801 : 2000

"Antimicrobial products – Test for antimicrobial activity and efficacy".

The test microorganisms used were :

Staphylococcus aureus (ATCC 6538P)

Escherichia coli (ATCC 8739)



TÜV SÜD PSB

Laboratory:
TÜV SÜD PSB Pte. Ltd.
No.1 Science Park Drive
Singapore 118221

Phone : +65-6885 1333
Fax : +65-6776 8670
E-mail: testing@tuv-sud-psb.sg
www.tuv-sud-psb.sg
Co. Reg : 199002667R

Regional Head Office:
TÜV SÜD Asia Pacific Pte. Ltd.
3 Science Park Drive, #04-01/05
The Franklin, Singapore 118223
TUV®

TEST REPORT: 719191301-CHM10-LYP
04 JAN 2011



PSB Singapore

RESULTS

Test microorganism (Bacterial cells inoculated per test piece)	Average of the number of viable cells of test microorganism per test piece		Value of Antimicrobial Activity (Criteria : Not less than 2.0)
	0 hour	24 hours	
<i>Staphylococcus aureus</i> (ATCC 6538P) (7.0 x 10⁵ cells)			
Blank PC slides (Control)	110 000	4 400 000	-
Sample panel: FOAMCARE NON-RINSE INSTANT HAND SANITIZER/ TOILET SEAT SANITIZER	-	Less than 10	More than 5.64

Test microorganism (Bacterial cells inoculated per test piece)	Average of the number of viable cells of test microorganism per test piece		Value of Antimicrobial Activity (Criteria : Not less than 2.0)
	0 hour	24 hours	
<i>Escherichia coli</i> (ATCC 8739) (1.0 x 10⁵ cells)			
Blank PC slides (Control)	42 000	12 000 000	-
Sample panel: FOAMCARE NON-RINSE INSTANT HAND SANITIZER/ TOILET SEAT SANITIZER	-	Less than 10	More than 6.08

Note :

The value of Antimicrobial Activity was calculated as log₁₀ of average of the number of viable bacterial cells on the Blank PC slides (Control) after 24 hours minus the log₁₀ of average of the number of viable bacterial cells on the antimicrobial coated PC panels after 24 hours.

TEST REPORT: 719191301-CHM10-LYP
04 JAN 2011



PSB Singapore

Remarks :

The above test results related to the samples as received.

A handwritten signature in black ink, appearing to read 'Hwy'.

MS AW HWEE YING
TECHNICAL EXECUTIVE

A handwritten signature in black ink, appearing to read 'ypheng'.

MRS KAM-LEONG YIN PHENG
PRODUCT MANAGER
MICROBIOLOGY
CHEMICAL & MATERIALS



TEST REPORT: 719191301-CHM10-LYP

04 JAN 2011



PSB Singapore

This Report is issued under the following conditions:

1. Results of the testing/calibration in the form of a report will be issued immediately after the service has been completed or terminated.
2. Unless otherwise requested, this report shall contain only technical results carried out by TÜV SÜD PSB. Analysis and interpretation of the results and professional opinion and recommendations expressed thereupon, if required, shall be clearly indicated and additional fee paid for, by the Client.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through TÜV SÜD PSB, unless the Client has authorised TÜV SÜD PSB in writing to do so.
6. TÜV SÜD PSB may at its sole discretion add to or amend the conditions of the report at the time of issue of the report and such report and such additions or amendments shall be binding on the Client.
7. All copyright in the report shall remain with TÜV SÜD PSB and the Client shall, upon payment of TÜV SÜD PSB's fees for the carrying out of the tests/calibrations, be granted a license to use or publish the report to the third parties subject to the terms and conditions herein, provided always that TÜV SÜD PSB may at its absolute discretion be entitled to impose such conditions on the license as it sees fit.
8. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
9. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
10. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

March 2010